



PACKAGING TECHNOLOGIES

SPINNY S 140 SERIES



Semiautomatic wrapping machines >



Spinnny S 140 > Make wrapping easy!



ITALIAN



TECHNOLOGY



Problematic wrapping operations?
Would you like **to solve** your wrapping problems?

You can take advantage of the **Spinny S 140 technology**



> **Versatile, unique and easy to use**

> **All models also available in the SMART TOUCH version with four different pre-set wrapping programmes lockable**

> **Very easy installation and practically maintenance free**

> **Very low turntable height and limited overall dimensions**



SPINNY S 140 series

Advantages > cost saving / easy to use / secure loads

- > Separate setting of top and bottom wraps
- > Indexed turntable stops in rest position
- > Inverter for soft start and stop of the turntable with rotation speed adjustable from 5 to 12 RPM
- > Photocell for automatic height detection of loads
- > Electronic control panel with 4 programmable wrapping cycles.
-Single, double, double with cover, manual-
- > **Spinny S 140 PLUS** - Mechanical brake to adjust the film tension
- > **Spinny S 140 ADVANCED** - Electro-magnetic brake to adjust the film tension

Models > **SPINNY S 140
PLUS**

**SPINNY S 140
ADVANCED**



SPINNY S 140 PLUS

Semiautomatic pallet wrapping machine with mechanical film brake

Technical Data > PLUS

- > Max. height of wrapping mm. 2100
- > Turntable diameter mm. 1500
- > Load capacity Kg. 1200
- > Electric supply 230 V – 240 V 50 Hz. single phase
- > Max. pallet size mm. 1200x1000

Option: SMART TOUCH version with four pre-set wrapping programmes

Customized machines available



Meets all CE Safety Norms. 

SPINNY S 140 **ADVANCED**

Semiautomatic pallet wrapping machines with electro-magnetic film brake

Technical Data > **ADVANCED**

- > Max. height of wrapping mm. 2100
- > Turntable diameter mm. 1500
- > Load capacity Kg. 1200
- > Electric supply 230 V – 240 V 50 Hz.
single phase
- > Max. pallet size mm. 1200x1000

**Option: SMART TOUCH version
with four pre-set wrapping programmes**


Customized machines available



SPINNY S 140


Options >

- > Control panel with four pre-set wrapping cycles
- > Height of wrapping 2600 mm
- > Turntable diameter 1800 mm - 2200 mm
- > Load capacity 2000 Kg
- > Slotted turntable in 1650 mm diameter
- > Programmable speed of film carriage
- > Transportation sleeves
- > Ramp
- > Flush mounted floor platen
- > Roll cage wheel lock



**Customized machines
with larger turntables and
extended masts
available on request**

Overall dimensions >



EFFE3TI srl
C.so Garibaldi, 298
Gattinara 13045 (VC) ITALY

Tel. 0039 0163 828911
Fax 0039 0163 828990

info@effe3ti.com
www.effe3ti.com